


X3

TASSELLO PROLUNGATO AD ALTE PRESTAZIONI HIGH PERFORMANCE LONG PLUG



MASSIMA TENUTA ALL'ESTRAZIONE

PERFORMANCE
STRAORDINARIE
SU TUTTI I MATERIALI.

MAXIMUM PULL-OUT VALUES

EXTRAORDINARY
PERFORMANCE ON ALL
BASE MATERIALS.



FINO A TRE PROFONDITÀ DI ANCORAGGIO

ESTREMA VERSATILITÀ
E NOTEVOLE RIDUZIONE
DEI TEMPI DI POSA.

UP TO 3 EMBEDMENT DEPTHS

EXTREME VERSATILITY AND
SIGNIFICANT REDUCTION
IN INSTALLATION TIME.



ESPANSIONE MAGGIORATA

PROGETTATO
PER FACCIATE E
CARPENTERIA PESANTE.

INCREASED EXPANSION

DESIGNED FOR
FACADES AND HEAVY
CARPENTRY.





Brevettato in Italia
Domanda di brevetto europeo pendente
Italian patent
European patent pending

FRIULSIDER
YOUR FIXING FACTORY

X3


Tassello prolungato ad alte prestazioni

High performance long plug



Brevettato in Italia
Domanda di brevetto europeo pendente
Italian patent
European patent pending

* Classe di resistenza al fuoco 90 minuti in calcestruzzo, tassello Ø10
* Fire resistance class = 90 minutes plug Ø10 in concrete



Tassello bordo svasato

Vite TPS

Zincata bianca

Ø 4,5 impronta Pozidrive n°2

Ø 6 impronta Pozidrive n°3

Ø 7 impronta Pozidrive n°4

Countersunk rim plug

Countersunk head screw

White zinc plated

Ø 4,5 Pozidrive n°2 recess

Ø 6 Pozidrive n°3 recess


Ø 7 Pozidrive n°4 recess

Pozidrive Cod.	Solo tassello ⁽¹⁾ Plug only ⁽¹⁾ Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. ⁽²⁾ Pkg. ⁽²⁾	Imballo ⁽²⁾ Outerbox ⁽²⁾
				Ridotta Reduced	Standard	Maggiorata ⁽²⁾ Increased ⁽²⁾		
64601b06035 ⁽¹⁾	64600006035▲	6x35	4,5x40	10	5	-	100	1000
64601b06050 ⁽¹⁾	64600006050▲	6x50	4,5x55	25	20	-	100	1000
64601b06060 ⁽¹⁾	64600006060▲	6x60	4,5x65	35	30	-	100	1000
64601b06070 ⁽¹⁾	64600006070▲	6x70	4,5x75	45	40	-	100	1000
64601b08060	64600008060▲	8x60	6x68	20	10	-	50	500
64601b08080	64600008080▲	8x80	6x88	40	30	-	50	500
64601b08100	64600008100▲	8x100	6x108	60	50	-	50	500
64601b08120	64600008120▲	8x120	6x128	80	70	-	50	500
64601b10060	64600010060▲	10x60	7x68	10	-	-	50	500
64601b10080	64600010080▲	10x80	7x88	30	10	-	50	500
64601b10100	64600010100▲	10x100	7x108	50	30	10	50	500
64601b10120	64600010120▲	10x120	7x128	70	50	30	50	500
64601b10140	64600010140▲	10x140	7x148	90	70	50	50	300
64601b10160	64600010160▲	10x160	7x168	110	90	70	50	250
	64600010260▲	10x260	-	210	190	170	50	200
	64600010290▲	10x290	-	240	220	200	50	200

⁽¹⁾ Codici non certificati CE / Codes not covered by CE certification

⁽²⁾ Solo per cemento cellulare / Only for aerated concrete

⁽³⁾ Per versione solo tassello Conf. 100 e Imballo 1000, eccetto codici 64600010260 e 64600010290
For plug only codes: Pkg. 100 and Outerbox 1000, except codes 64600010260 and 64600010290



**Tassello bordo svasato
Vite TPS
Zincata bianca
Ø 6 impronta Torx T30
Ø 7 impronta Torx T40**

Countersunk rim plug
Countersunk head screw
White zinc plated
Ø 6 Torx T30 recess
Ø 7 Torx T40 recess

Torx Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
			Ridotta Reduced	Standard	Maggiorata ⁽¹⁾ Increased ⁽¹⁾		
64602b08060	8x60	6x68	20	10	-	50	500
64602b08080	8x80	6x88	40	30	-	50	500
64602b08100	8x100	6x108	60	50	-	50	500
64602b08120	8x120	6x128	80	70	-	50	500
64602b10060	10x60	7x68	10	-	-	50	500
64602b10080	10x80	7x88	30	10	-	50	500
64602b10100	10x100	7x108	50	30	10	50	500
64602b10120	10x120	7x128	70	50	30	50	500
64602b10140	10x140	7x148	90	70	50	50	300
64602b10160	10x160	7x168	110	90	70	50	250
64602b10260	10x260	7x268	210	190	170	50	-
64602b10290	10x290	7x298	240	220	200	50	-

⁽¹⁾ Solo per cemento cellulare / Only for aerated concrete

**3DG
COATING**



**iNOX
A4
70**



**Tassello bordo svasato
Vite TPS
3DG finitura opaca
Ø 6 impronta Torx T30
Ø 7 impronta Torx T40**

Countersunk rim plug
Countersunk head screw
3DG matte finish
Ø 6 Torx T30 recess
Ø 7 Torx T40 recess

3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
				Ridotta Reduced	Standard	Maggiorata ⁽¹⁾ Increased ⁽¹⁾		
64602c08060▲	64602008060	8x60	6x68	20	10	-	50	500
64602c08080▲	64602008080	8x80	6x88	40	30	-	50	500
64602c08100▲	64602008100	8x100	6x108	60	50	-	50	500
64602c08120▲	64602008120	8x120	6x128	80	70	-	50	500
64602c10060▲	64602010060	10x60	7x68	10	-	-	50	500
64602c10080▲	64602010080	10x80	7x88	30	10	-	50	500
64602c10100▲	64602010100	10x100	7x108	50	30	10	50	500
64602c10120▲	64602010120	10x120	7x128	70	50	30	50	500
64602c10140▲	64602010140	10x140	7x148	90	70	50	50	300
64602c10160▲	64602010160	10x160	7x168	110	90	70	50	250

⁽¹⁾ Solo per cemento cellulare / Only for aerated concrete

X3

Tassello prolungato ad alte prestazioni High performance long plug



Tassello bordo svasato Vite TER con rondella integrata Ø19 Zincata bianca Chiave 13, impronta Torx T40

Countersunk rim plug
Special hex head screw
with built-in washer Ø19
White zinc plated
Wrench 13, Torx T40 recess



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
			Ridotta Reduced	Standard	Maggiorata ⁽¹⁾ Increased ⁽¹⁾		
64603b10060	10x60	7x68	10	-	-	50	500
64603b10080	10x80	7x88	30	10	-	50	500
64603b10100	10x100	7x108	50	30	10	50	500
64603b10120	10x120	7x128	70	50	30	50	300
64603b10140	10x140	7x148	90	70	50	50	300
64603b10160	10x160	7x168	110	90	70	50	250

⁽¹⁾ Solo per cemento cellulare / Only for aerated concrete

3DG
COATING



INOX
A4
70




Tassello bordo svasato Vite TER con rondella integrata Ø19 Chiave 13, impronta Torx T40

Countersunk rim plug
Special hex head screw
with built-in washer Ø19
Wrench 13, Torx T40 recess



3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
				Ridotta Reduced	Standard	Maggiorata ⁽¹⁾ Increased ⁽¹⁾		
64603c10060▲	64603010060	10x60	7x68	10	-	-	50	500
64603c10080▲	64603010080	10x80	7x88	30	10	-	50	500
64603c10100▲	64603010100	10x100	7x108	50	30	10	50	500
64603c10120▲	64603010120▲	10x120	7x128	70	50	30	50	300
64603c10140▲	64603010140▲	10x140	7x148	90	70	50	50	300
64603c10160▲	64603010160▲	10x160	7x168	110	90	70	50	250

⁽¹⁾ Solo per cemento cellulare / Only for aerated concrete



Tassello bordo maggiorato Ø18
Vite TER con rondella integrata Ø19
Zincata bianca
Chiave 13, impronta Torx T40

Plug with large rim Ø18
 Special hex head screw
 with built-in washer Ø19
 White zinc plated
 Wrench 13, Torx T40 recess



Cod.	Solo tassello ⁽¹⁾ Plug only ⁽¹⁾ Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. ⁽³⁾ Pkg. ⁽³⁾	Imballo ⁽³⁾ Outerbox ⁽³⁾
				Ridotta Reduced	Standard	Maggiorata ⁽²⁾ Increased ⁽²⁾		
64703b10060	64700010060▲	10x60	7x68	10	-	-	50	500
64703b10080	64700010080▲	10x80	7x88	30	10	-	50	500
64703b10100	64700010100▲	10x100	7x108	50	30	10	50	500
64703b10120	64700010120▲	10x120	7x128	70	50	30	50	300
64703b10140	64700010140▲	10x140	7x148	90	70	50	50	300
64703b10160	64700010160▲	10x160	7x168	110	90	70	50	250

⁽¹⁾ Codici non certificati CE / Codes not covered by CE certification

⁽²⁾ Solo per cemento cellulare / Only for aerated concrete

⁽³⁾ Per versione solo tassello Conf. 100 e Imballo 1000 / For plug only codes: Pkg. 100 and Outerbox 1000

3DG
COATING

iNOX
A4
70



Tassello bordo maggiorato Ø18
Vite TER
con rondella integrata Ø19
Chiave 13, impronta Torx T40

Plug with large rim Ø18
 Special hex head screw
 with built-in washer Ø19
 Wrench 13, Torx T40 recess

3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
				Ridotta Reduced	Standard	Maggiorata ⁽¹⁾ Increased ⁽¹⁾		
64703c10060	64703010060	10x60	7x68	10	-	-	50	500
64703c10080	64703010080	10x80	7x88	30	10	-	50	500
64703c10100	64703010100	10x100	7x108	50	30	10	50	500
64703c10120	64703010120	10x120	7x128	70	50	30	50	300
64703c10140	64703010140	10x140	7x148	90	70	50	50	300
64703c10160	64703010160	10x160	7x168	110	90	70	50	250

⁽¹⁾ Solo per cemento cellulare / Only for aerated concrete

Speciale rivestimento anticorrosione
resistenza alla corrosione in nebbia
salina fino a 1000 ore
 Special anti-corrosion coating
 up to 1000 hours in salt spray test
 Vedi/See p. 6-7

3DG COATING

TRIPLE DIFFUSION GALVANIZATION

www.friulsider.com

FRIULSIDER 103
2022

FM X5

TASSELLO PROLUNGATO PER SERRAMENTI LONG PLUG FOR WINDOW AND DOOR FRAMES



BASSA COPPIA DI SERRAGGIO
LOW TIGHTENING TORQUE



NYLON EXTRA FLESSIBILE
ULTRA FLEXIBLE NYLON






VITE SEMPRE PREMONTATA
SCREW ALWAYS PREASSEMBLED



FRIULSIDER
YOUR FIXING FACTORY

FM-X5

Tassello prolungato per serramenti
Long plug for window and door frames



*Classe di resistenza al fuoco
90 minuti in calcestruzzo, tassello Ø10
*Fire resistance class = 90 minutes plug Ø10 in concrete



Assemblato
Tassello bordo svasato
Vite TPS

Zincata bianca
Ø 6 impronta Torx T30
Ø 7 impronta Torx T40

Assembled
Countersunk rim plug
Countersunk head screw, white zinc plated
Ø 6 Torx T30 recess
Ø 7 Torx T40 recess



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64301b08080	8x80	6x85	10	100	1000
64301b08100	8x100	6x105	30	50	500
64301b08120	8x120	6x125	50	50	500
64301b08150	8x150	6x155	80	50	-
64301b08170	8x170	6x175	100	50	-
64301b10085	10x85	7x90	15	50	500
64301b10100	10x100	7x105	30	50	500
64301b10115	10x115	7x120	45	50	500
64301b10135	10x135	7x140	65	50	200
64301b10160	10x160	7x165	90	50	-
64301b10200	10x200	7x205	130	50	-
64301b10230	10x230	7x235	160	50	-

Assemblato
Tassello bordo svasato
Vite speciale TER con rondella integrata

Zincata bianca
Ø 6 rondella integrata Ø15
Chiave 10, impronta Torx T30
Ø 7 rondella integrata Ø19
Chiave 13, impronta Torx T40

Assembled
Countersunk rim plug
Special hex head screw with built-in washer
White zinc plated
Ø 6 built-in washer Ø15
Wrench 10, Torx T30 recess
Ø 7 built-in washer Ø19
Wrench 13, Torx T40 recess



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64302b08080	8x80	6x85	10	100	1000
64302b08100	8x100	6x105	30	50	500
64302b08120	8x120	6x125	50	50	500
64302b08150	8x150	6x155	80	50	-
64302b10085	10x85	7x90	15	50	500
64302b10100	10x100	7x105	30	50	500
64302b10115	10x115	7x120	45	50	500
64302b10135	10x135	7x140	65	50	200
64302b10160	10x160	7x165	90	50	-

Assemblato
Tassello bordo maggiorato Ø18
Vite speciale TER con rondella integrata Ø19
Zincata bianca
Chiave 13, impronta Torx T40

Assembled
Plug with large rim Ø18
Special hex head screw with built-in washer Ø19
White zinc plated
Wrench 13, Torx T40 recess




Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64402b10085	10x85	7x90	15	50	500
64402b10100	10x100	7x105	30	50	500
64402b10115	10x115	7x120	45	50	500
64402b10135	10x135	7x140	65	50	200
64402b10160	10x160	7x165	90	50	-

3DG
COATING

iNOX
A4
70

Assemblato
Tassello bordo svasato
Vite TPS
Ø 6 impronta Torx T30
Ø 7 impronta Torx T40

Assembled
Countersunk rim plug
Countersunk head screw
Ø 6 Torx T30 recess
Ø 7 Torx T40 recess



3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64301c08080	64301008080	8x80	6x85	10	100	1000
64301c08100	64301008100	8x100	6x105	30	50	500
64301c08120	64301008120	8x120	6x125	50	50	500
64301c08150	64301008150	8x150	6x155	80	50	-
64301c08170	64301008170	8x170	6x175	100	50	-
64301c10085	64301010085	10x85	7x90	15	50	500
64301c10100	64301010100	10x100	7x105	30	50	500
64301c10115	64301010115	10x115	7x120	45	50	500
64301c10135	64301010135	10x135	7x140	65	50	200
64301c10160	64301010160	10x160	7x165	90	50	-
64301c10200	64301010200	10x200	7x205	130	50	-
64301c10230	64301010230▲	10x230	7x235	160	50	-

3DG
COATING

iNOX
A4
70

Assemblato
Tassello bordo svasato
Vite speciale TER con rondella integrata Ø19
Chiave 13
Impronta Torx T40

Assembled
Countersunk rim plug
Special hex head screw with built-in washer Ø19
Wrench 13
Torx T40 recess



3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64302c10085	64302010085	10x85	7x90	15	50	500
64302c10100	64302010100	10x100	7x105	30	50	500
64302c10115	64302010115	10x115	7x120	45	50	500
64302c10135	64302010135	10x135	7x140	65	50	200
64302c10160	64302010160	10x160	7x165	90	50	-

3DG
COATING

iNOX
A4
70

Assemblato
Tassello bordo maggiorato Ø18
Vite speciale TER con rondella integrata Ø19
Chiave 13
impronta Torx T40




Assembled
Plug with large rim Ø18
Special hex head screw with built-in washer Ø19
Wrench 13, Torx T40 recess



3DG finitura opaca 3DG matte finish Cod.	Inox A4-70 Stainless steel A4-70 Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64402c10085	64402010085	10x85	7x90	15	50	500
64402c10100	64402010100	10x100	7x105	30	50	500
64402c10115	64402010115	10x115	7x120	45	50	500
64402c10135	64402010135	10x135	7x140	65	50	200
64402c10160	64402010160	10x160	7x165	90	50	-

TUP4


Tassello prolungato in nylon ad elevata espansione
Long nylon high expansion plug



Solo tassello

Plug only

Cod.	Tassello Plug Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64100008080	8x80	10	100	1000
64100008100	8x100	30	100	1000
64100008120	8x120	50	100	1000
64100010085	10x85	15	100	1000
64100010100	10x100	30	100	1000
64100010115	10x115	45	100	1000
64100010135	10x135	65	100	1000
64100010160	10x160	90	100	-
64100010200	10x200	130	100	-
64100012135	12x135	65	100	-
64100012160	12x160	90	100	-
64100012200	12x200	130	100	-
64100012240	12x240	170	100	-



**INOX
A4**

Vite TPS

Ø 8 impronta Pozidrive n°3
Ø 8 impronta Torx T30
Ø 10 impronta Pozidrive n°4
Ø 10 impronta Torx T40


Countersunk head screw
Ø 8 Pozidrive n°3 recess
Ø 8 Torx T30 recess
Ø 10 Pozidrive n°4 recess
Ø 10 Torx T40 recess

Zincata Bianca White zinc plated Pozidrive Cod.	Zincata Bianca White zinc plated Torx Cod.	Inox A4 Stainless steel A4 Torx Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64102b08080	64103b08080	64103008080	8x80	5,5x85	10	100	1000
64102b08100	64103b08100	64103008100	8x100	5,5x105	30	50	500
64102b08120	64103b08120	64103008120	8x120	5,5x125	50	50	500
64102b10085	64103b10085	64103010085	10x85	7x90	15	100	500
64102b10100	64103b10100	64103010100	10x100	7x105	30	50	500
64102b10115	64103b10115	64103010115	10x115	7x120	45	50	500
64102b10135	64103b10135	64103010135	10x135	7x140	65	50	250
64102b10160	64103b10160	64103010160	10x160	7x165	90	50	250
64102b10200	64103b10200	64103010200	10x200	7x205	130	50	250

TUP4

Tassello prolungato in nylon ad elevata espansione

Long nylon high expansion plug



Vite TE

Zincata bianca

Ø 8 chiave 10

Ø 10 chiave 13

Ø 12 chiave 17

Hex head screw

White zinc plated

Ø 8 wrench 10

Ø 10 wrench 13





Ø 12 wrench 17

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
64101b08080	8x80	5,5x85	10	100	1000
64101b08100	8x100	5,5x105	30	50	500
64101b08120	8x120	5,5x125	50	50	500
64101b10085	10x85	7x90	15	100	500
64101b10100	10x100	7x105	30	50	500
64101b10115	10x115	7x120	45	50	500
64101b10135	10x135	7x140	65	50	250
64101b10160	10x160	7x165	90	50	250
64101b10200	10x200	7x205	130	50	250
64101b12135	12x135	10x140	65	25	250
64101b12160	12x160	10x165	90	25	125
64101b12200	12x200	10x205	130	25	125
64101b12240	12x240	10x245	170	25	-

TUPP

Tassello prolungato in nylon per fissaggi pesanti

Long nylon through anchor for heavy duty fixings



Vite TER

con rondella integrata Ø34

Zincata bianca

Hex head screw

with built-in washer Ø34



White zinc plated

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.
64001b16140	16x140	12x150	45	25
64001b16160	16x160	12x170	65	25
64001b16200	16x200	12x210	105	25
64001b16240	16x240	12x250	145	25



TUP


Tassello prolungato in nylon
Long nylon plug



Solo tassello

Plug only

Cod.	Tassello Plug Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
6030006040	6x40	10	100	1000
6030006060	6x60	30	100	1000
6030006080	6x80	50	100	1000
6030008060	8x60	20	100	1000
6030008080	8x80	40	100	1000
6030008100	8x100	60	100	1000
6030008120	8x120	80	100	1000
6030008135	8x135	95	100	1000
6030008160	8x160	120	100	1000
60300010060	10x60	10	100	1000
60300010080	10x80	30	100	1000
60300010100	10x100	50	100	1000
60300010115	10x115	65	100	1000
60300010135	10x135	85	100	1000
60300010160	10x160	110	100	1000



Vite TPS zincata bianca:
Ø 6 impronta Pozidrive n°2
Ø 8 impronta Pozidrive n°3
Ø 10 impronta Pozidrive n°4
Ø 10 impronta Torx T40

Vite TE zincata bianca
Ø 10 chiave 13

Countersunk head screw
White zinc plated
Ø 6 Pozidrive n°2 recess
Ø 8 Pozidrive n°3 recess
Ø 10 Pozidrive n°4 recess
Ø 10 Torx T40 recess



White zinc plated hex head screw
Ø 10 wrench 13

Pozidrive Cod.	Torx Cod.	Vite TE Hex head screw Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
60303b06060			6x60	4x65	30	100	-
60303b08060			8x60	5,5x65	20	100	1000
60303b08080			8x80	5,5x85	40	100	1000
60303b08100			8x100	5,5x105	60	100	1000
60303b08120			8x120	5,5x125	80	50	500
60303b08135			8x135	5,5x140	95	50	500
60303b08160			8x160	5,5x165	120	50	500
60303b10060	60309b10060▲	60308b10060	10x60	7x65	10	50	500
60303b10080			10x80	7x85	30	50	500
60303b10100	60309b10100▲	60308b10100	10x100	7x105	50	50	500
60303b10115	60309b10115▲	60308b10115▲	10x115	7x120	65	50	500
60303b10135	60309b10135▲	60308b10135	10x135	7x140	85	50	250
60303b10160	60309b10160▲	60308b10160▲	10x160	7x165	110	50	250

TCS

Tassello prolungato in nylon con vite a chiodo

Long nylon plug with nail screw



Bordo svasato
Vite TPS a chiodo
Zincata bianca
Impronta Pozidrive

Countersunk rim
Countersunk head nail screw
White zinc plated
Pozidrive recess





Cod.	Tassello Plug Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
60301b05030	5x30	5	100	1000
60301b05050	5x50	25	100	-
60301b06040	6x40	10	100	-
60301b06060	6x60	30	100	-
60301b06080	6x80	50	100	-
60301b08060	8x60	20	100	1000
60301b08080	8x80	40	100	1000
60301b08100	8x100	60	50	500
60301b08120	8x120	80	50	500
60301b08135	8x135	95	50	500
60301b08160	8x160	120	50	500

TPF

Tassello prolungato in nylon per serramenti

Long nylon frame anchor



Vite TPS
Zincata bianca
Impronta Pozidrive

Countersunk head screw
White zinc plated
Pozdrive recess



Cod.	Tassello Plug Ø x L	Conf. Pkg.
60602b08075	8x75	100
60602b08100	8x100	100
60602b08120	8x120	100
60602b08140	8x140	100
60602b10075	10x75	100
60602b10100	10x100	100
60602b10120	10x120	100
60602b10140	10x140	100
60602b10165	10x165	100

CAP

Cappucci per fissaggi prolungati

Cover caps and bits for prolonged fixings



Cappuccio in plastica per impronta Torx

Plastic cover cap Torx recess

Cod.	Colore Colour	Esterno Exterior Ø	Impronta Size	Per tassello For fixing	Conf. Pkg.	Imballo Outerbox
35527r16000	Grigio / Grey	16	Torx T30	X3, FM-X5, TUP4 - Ø8	100	20000
35527y16000	Marrone / Brown	16	Torx T30	X3, FM-X5, TUP4 - Ø8	100	20000
35527m16000	Bianco / White	16,5	Torx T30	X3, FM-X5, TUP4 - Ø8	100	20000



Inserto anti-intrusione in zama

Tamper-proof zamak bit

Cod.	Impronta Size	Pezzi/busta Pcs/blister	Buste/imb. Blister/Pkg.
35530b30000	Torx T30	100	10
35530b40000	Torx T40	100	10

X1EVO

TASSELLO UNIVERSALE IN NYLON A 4 SETTORI FOUR SEGMENTS UNIVERSAL NYLON PLUG



TUTTI I SUPPORTI
ALL BASE MATERIALS



TUTTE LE VITI
ALL SCREWS



ANCHE VITI METRICHE
EVEN METRIC SCREWS




Brevettato in Italia
Italian patent

FRIULSIDER
YOUR FIXING FACTORY

X1 evo

Tassello universale in nylon a 4 settori
Four segments universal nylon plug



Brevettato in Italia
Italian patent



Solo tassello

Plug only


Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	
60070005025	5x25	100	3200	1000	10000	15000
60070006030	6x30	100	3200	1000	10000	10000
60070008040	8x40	100	1600	1000	5000	4000
60070010050	10x50	50	800	500	2500	2000
60070012060	12x60	25	400	250	1500	1200
60070014070	14x70	20	160			600



Vite TPS truciolare Zincata bianca Impronta Pozidrive

Chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60071b05025	5x25	4x30	100	3200
60071b06030	6x30	4,5x40	100	1600
60071b08040	8x40	5x50	50	800
60071b10050	10x50	6x60	25	400



Vite TBL truciolare con collarino Zincata bianca Impronta Pozidrive

Wide rounded head chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60072b05025	5x25	3,5x30	100	1200
60072b06030	6x30	4,5x40	100	1200
60072b08040	8x40	5x50	50	600

**Vite TER legno
con rondella integrata**
Zincata bianca


Hex head wood screw
with built-in washer
White zinc plated




Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60073b08040	8x40	6x50	100	600
60073b10050	10x50	6x60	100	400
60073b12060	12x60	8x70	50	200
60073b14070	14x70	10x80	25	150

Vite TE metrica e rondella
Zincata bianca

Hex head metric screw with washer
White zinc plated



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
60074b06030▲	6x30	M4x40	4,3x9	100	1200
60074b08040▲	8x40	M5x50	5,3x10	50	600
60074b10050▲	10x50	M6x60	6,4x12	25	300
60074b12060▲	12x60	M8x70	8,4x16	25	150
60074b14070▲	14x70	M10x80	10,5x20	20	120


Accessori zincati bianchi

White zinc plated accessories

Cod.	Tassello Plug Ø x L	Accessorio Accessory	Conf. Pkg.	Imballo Outerbox
60076b06030	6x30	Gancio corto / Short hook - A	100	1200
60077b06030	6x30	Gancio medio / Medium hook - B	100	1200
60078b06030	6x30	Occhiolo chiuso / Eye - C	100	600
60079b06030	6x30	Occhiolo aperto / Cup hook - D	100	600
60091b06030	6x30	Vite a doppio filetto / Double threaded screw M6 - E	100	1000
60076b08040	8x40	Gancio corto / Short hook - A	25	300
60079b08040	8x40	Occhiolo aperto / Cup hook - D	25	300

X1 evo

Secchiello tondo
Round fixing set



Cod.	Contenuto Contents	Dim.	Pz Pcs	Conf. per Imballo Sets per Outerbox
90408b00000	X1 evo tassello in nylon X1 evo nylon plug	6x30	200	12
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	4,5x40	200	
90408b00001	X1 evo tassello in nylon X1 evo nylon plug	8x40	100	12
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	5x50	100	

X1 evo

Secchiello quadro con tappo a vite
Square fixing set with screw cap



Cod.	Contenuto Contents	Dim.	Pz Pcs	Conf. per Imballo Sets per Outerbox
90413b00000	X1 evo tassello in nylon X1 evo nylon plug	6x30	300	6
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	4,5x40	300	
	wall plus punta sds wall plus drill bit - sds fitting	6x160	1	
90413b00001	X1 evo tassello in nylon X1 evo nylon plug	8x40	150	6
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	5x50	150	
	wall plus punta sds wall plus drill bit - sds fitting	8x160	1	

X1 evo - X1 evo-L

Pallbox da terra
 Pallbox



Pallbox in cartotecnica
Da assemblare

Cardboard Pallbox
 To be assembled



Pallbox MISTO (tassello + vite, solo tassello)
 MIXED Pallbox (plug + screw, plug only)

Cod.		Contenuto Contents	Tassello Plug Ø x L	Pz per scatola Pcs per box	N° scatole N° boxes
60071b00015	60071b06050	X1 evo-L Tassello universale in nylon lunghezza maggiorata	6x50	100	6
	60071b08060	Vite truciolare TPS Universal nylon plug increased length	8x60	50	3
	60071b10070	Countersunk head chipboard screw	10x70	25	3
	60071b06030	X1 evo Tassello universale nylon	6x30	100	12
	60071b08040	Vite truciolare TPS Universal nylon plug	8x40	50	6
	60071b10050	Countersunk head chipboard screw	10x50	25	6
	60070006030	X1 evo Tassello universale nylon Universal nylon plug	6x30	100	12
	60070008040		8x40	100	12
	60070010050		10x50	50	6



Pallbox SOLO TASSELLO
 PLUG ONLY Pallbox

Cod.		Contenuto Contents	Tassello Plug Ø x L	Pz per scatola Pcs per box	N° scatole N° boxes
60070000016	60070006050	X1 evo-L Tassello universale in nylon lunghezza maggiorata	6x50	200	6
	60070008060	Universal nylon plug increased length	8x60	100	3
	60070010070		10x70	50	3
	60070006030	X1 evo Tassello universale nylon Universal nylon plug	6x30	100	24
	60070008040		8x40	100	24
	60070010050		10x50	50	12

X1EVO-L

**TASSELLO UNIVERSALE
IN NYLON A 4 SETTORI
LUNGHEZZA MAGGIORATA
FOUR SEGMENTS
UNIVERSAL NYLON PLUG
INCREASED LENGTH**




**MAGGIORE PROFONDITÀ
DI ANCORAGGIO
GREATER ANCHORING DEPTH**



**TUTTI I SUPPORTI
ALL BASE MATERIALS**



**TUTTE LE VITI
ALL SCREWS**




**Brevettato in Italia
Domanda di brevetto europeo pendente
Italian patent
European patent pending**

FRIULSIDER
YOUR FIXING FACTORY

X1 evo-L

Tassello universale in nylon a 4 settori - lunghezza maggiorata
Four segments universal nylon plug - increased length



Brevettato in Italia
Domanda di brevetto europeo pendente
Italian patent
European patent pending



LUNGHEZZA MAGGIORATA
Nodo garantito anche su
cartongesso a doppia-lastra!


INCREASED LENGTH
Knot guaranteed even on
double plasterboard panels!



Solo tassello

Plug only

Cod.	Tassello Plug Ø x L	Conf. Pkg.	Imballo Outerbox
60070006050	6x50	200	1600
60070008060	8x60	100	800
60070010070	10x70	50	400



Vite TPS truciolare Zincata bianca Impronta Pozidrive

Chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60071b06050	6x50	4,5x60	100	800
60071b08060	8x60	5x70	50	400
60071b10070	10x70	6x80	25	200


**YOUR
FIXING
EXPERT**

X1 evo-L

Secchiello quadro con tappo a vite
Square fixing set with screw cap




Cod.	Contenuto Contents	Dim.	Pz Pcs	Conf. per imballo Sets per Outerbox
90413b00002	X1 evo-L tassello in nylon X1 evo-L nylon plug	6x50	200	6
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	4,5x60	200	
	wall plus punta sds wall plus drill bit - sds fitting	6x160	1	
90413b00003	X1 evo-L tassello in nylon X1 evo-L nylon plug	8x60	100	6
	vite truciolare interamente filettata zincata bianca chipboard screw - fully threaded - white zinc plated	5x70	100	
	wall plus punta sds wall plus drill bit - sds fitting	8x160	1	




XP

Tassello universale in nylon

Universal nylon plug




LUNGHEZZA MAGGIORATA
Nodo garantito anche su cartongesso a doppia-lastra!
INCREASED LENGTH
Knot guaranteed even on double plasterboard panels!



Solo tassello

Plug only

Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	Imballo Outerbox
6600006033	6x33	200	2000	1000	10000	10000
6600006045	6x45	200	-	1000	5000	10000
6600008052	8x52	100	-	500	3500	4000
6600010065	10x65	50	-	250	2500	1000



Vite TPS truciolare
Zincata bianca
Impronta Pozidrive

Chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
66001006033	6x33	4,5x45	100	1000
66001006045	6x45	4,5x55	100	-
66001008052	8x52	5x60	100	-
66001010065	10x65	6x75	50	-



Vite TBL truciolare con collarino
Zincata bianca
Impronta Pozidrive

Wide rounded head chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.
66003006033	6x33	4,5x45	100
66003006045	6x45	4,5x55	100
66003008052	8x52	5x60	50



VBUX p. 262



**CONSIGLI
PER GLI
ACQUISTI**

WE ALSO
RECOMMEND

FX

Tassello in nylon per supporti forati e cartongesso

Nylon plug for hollow base materials and plasterboard



Solo tassello

Plug only


Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag	
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox
60036006040	6x40	100	1000	1000	5000
60036008050	8x50	100	1000	500	2000
60036010060	10x60	50	500	250	1000



Vite TPS truciolare
Zincata bianca
Impronta Pozidrive

Chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60037b06040	6x40	3,5x45	100	1000
60037b08050	8x50	4,5x60	50	500
60037b10060	10x60	6x80	25	250



Gancio corto
Zincato bianco

Short hook
White zinc plated

Cod.	Tassello Plug Ø x L	Conf. Pkg.	Imballo Outerbox
60039b06040	6x40	50	500
60039b08050	8x50	25	250



Occhiolo aperto
Zincato bianco



Cup hook
White zinc plated

Cod.	Tassello Plug Ø x L	Conf. Pkg.	Imballo Outerbox
60038b06040	6x40	50	500
60038b08050	8x50	25	250

TMT

Tassello in polipropilene per cartongesso


Polypropylene plug for plasterboard



Solo tassello

Plug only

Cod.	Tassello Plug Ø x L	In scatola / Per box		Industriale / Bulk
		Conf. Pkg.	Imballo Outerbox	
6500006033	6x33	100	1000	7000
6500006046	6x46	100	1000	4000
6500008051	8x51	100	1000	2500
65000010066	10x66	100	1000	1200
65000012072	12x72	50	500	800



Vite TPS truciolare Zincata bianca Impronta Pozidrive

Chipboard screw
White zinc plated
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
65002006046	6x46	4x55	100	1000
65002008051	8x51	5x60	100	1000
65002010066	10x66	6x75	100	1000
65002012072	12x72	8x90	50	500



VM p. 141



VBUX p. 262

**CONSIGLI
PER GLI
ACQUISTI**

**WE ALSO
RECOMMEND**





TROMP p. 142

FRULSIDER
2022

TSS

Tassello premontato in nylon con bordo svasato

Countersunk preassembled nylon plug



Vite zincata bianca Impronta Pozidrive Tassello grigio

White zinc plated screw
Pozidrive recess
Grey plug



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62200b05030 ⁽¹⁾	5x30	3,4x35	5	300	3000
62200b05040 ⁽¹⁾	5x40	3,4x45	15	200	2000
62200b05050 ⁽¹⁾	5x50	3,4x55	25	200	2000
62200b06040	6x40	3,8x45	10	200	2000
62200b06050	6x50	3,8x55	20	100	1000
62200b06060	6x60	3,8x65	30	100	1000
62200b06080	6x80	3,8x85	50	100	1000
62200b08060	8x60	4,8x65	20	150	1500
62200b08080	8x80	4,8x85	40	150	1500
62200b08100	8x100	4,8x105	60	100	1000
62200b08120	8x120	4,8x125	80	100	1000
62200b08140	8x140	4,8x145	100	100	1000
62200b10080 ⁽¹⁾	10x80	7x85	30	100	1000
62200b10100 ⁽¹⁾	10x100	7x105	50	100	400
62200b10135 ⁽¹⁾	10x135	7x140	85	50	500
62200b10160 ⁽¹⁾	10x160	7x165	110	50	500

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification



Vite inox A2 Impronta Pozidrive Tassello grigio

Stainless steel A2 screw
Pozidrive recess
Grey plug



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62203x05030 ⁽¹⁾ ▲	5x30	3,4x35	5	300	3000
62203x05040 ⁽¹⁾ ▲	5x40	3,4x45	15	200	2000
62203x05050 ⁽¹⁾ ▲	5x50	3,4x55	25	200	2000
62203x06040	6x40	3,8x45	10	200	1600
62203x06050	6x50	3,8x55	20	100	1000
62203x06060	6x60	3,8x65	30	100	800
62203x06080	6x80	3,8x85	50	100	800

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification

Vite a doppia filettatura Zincata bianca

Double threaded screw
White zinc plated





Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Filettatura Thread	Conf. Pkg.	Imballo Outerbox
62202b06040▲	6x40	3,8x52	M6	200	2000
62202b06050▲	6x50	3,8x66	M6	100	1000
62204b06040▲	6x40	3,8x52	M7	100	1000
62204b06050▲	6x50	3,8x62	M7	100	1000

TBB

Tassello premontato in nylon con bordo piatto

Large rim preassembled nylon plug



Vite zincata bianca Impronta Pozidrive Tassello grigio

White zinc plated screw
Pozidrive recess
Grey plug




Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62100b05030 ⁽¹⁾	5x30	3,4x35	5	300	3000
62100b05040 ⁽¹⁾	5x40	3,4x45	15	200	2000
62100b05050 ⁽¹⁾	5x50	3,4x55	25	200	2000
62100b06040	6x40	3,8x45	10	200	1600
62100b06050	6x50	3,8x55	20	100	1000
62100b06060	6x60	3,8x65	30	100	1000
62100b08080	8x80	4,8x85	40	150	1500
62100b08100	8x100	4,8x105	60	100	1000
62100b08120	8x120	4,8x125	80	100	1000
62100b08140	8x140	4,8x145	100	50	500
62100b08160	8x160	4,8x165	120	50	500

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification



Vite inox A2 Impronta Pozidrive

Stainless steel A2 screw
Pozidrive recess



Tassello grigio Grey plug Cod.	Tassello testa di moro Dark brown plug Cod.	Tassello naturale Natural plug Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62102x06040	62103x06040 ⁽¹⁾ ▲	62107x06040 ⁽¹⁾ ▲	6x40	3,8x45	10	200	1600
62102x06050▲	62103x06050 ⁽¹⁾ ▲	62107x06050 ⁽¹⁾ ▲	6x50	3,8x55	20	100	1000
62102x06060▲	62103x06060 ⁽¹⁾ ▲	62107x06060 ⁽¹⁾ ▲	6x60	3,8x65	30	100	1000 ⁽²⁾

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification

⁽²⁾ 800 per Codice 62102x06060 / 800 for Code 62102x06060

Vite impronta Pozidrive Tassello testa di moro

Pozidrive recess screw
Dark brown plug



Vite zincata nera Black zinc ptd. screw Cod.	Vite Inox A2 ramata Copper ptd stain. steel A2 screw Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
	62105005030 ⁽¹⁾ ▲	5x30	3,4x35	5	300	3000
62109e06040 ⁽¹⁾	62105006040 ⁽¹⁾ ▲	6x40	3,8x45	10	200	1600
62109e06050 ⁽¹⁾	62105006050 ⁽¹⁾	6x50	3,8x55	20	100	1000
62109e06060 ⁽¹⁾	62105006060 ⁽¹⁾	6x60	3,8x65	30	100	1000 ⁽²⁾

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification

⁽²⁾ 800 per Codice 62105006060 / 800 for Code 62105006060



**YOUR
FIXING
EXPERT**



TPP

Tassello premontato in nylon con bordo cilindrico

Cylindrical head preassembled nylon plug



Vite zincata bianca Impronta Pozidrive Tassello grigio

White zinc plated screw
Pozidrive recess
Grey plug



Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62700b05030 ⁽¹⁾	5x30	3,4x35	5	300	3000
62700b05040 ⁽¹⁾	5x40	3,4x45	15	200	2000
62700b05050 ⁽¹⁾	5x50	3,4x55	25	200	2000
62703b06035 ⁽¹⁾⁽²⁾	6x35	3,8x40	5	200	2000
62700b06040	6x40	3,8x45	10	200	2000
62700b06050	6x50	3,8x55	20	100	1000
62700b06060	6x60	3,8x65	30	100	1000
62703b08040 ⁽¹⁾⁽²⁾	8x40	4,8x45	5	200	2000
62700b08060	8x60	4,8x65	20	150	1500
62700b08080	8x80	4,8x85	40	150	1500
62700b08100	8x100	4,8x105	60	100	1000
62700b08120	8x120	4,8x125	80	100	1000
62700b08140	8x140	4,8x145	100	100	400

⁽¹⁾ Misure non certificate CE / Sizes not covered by CE certification

⁽²⁾ Con profondità di posa ridotta / With reduced embedment depths


INOX
A2

Vite inox A2 Impronta Pozidrive Tassello grigio

Stainless steel A2 screw
Pozidrive recess
Grey plug






Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness	Conf. Pkg.	Imballo Outerbox
62701x06040	6x40	3,8x45	10	200	1600
62701x06050	6x50	3,8x55	20	100	1000
62701x06060	6x60	3,8x65	30	100	1000
62701x08080	8x80	4,8x85	40	100	1000



TTL

Tassello premontato in nylon con bordo svasato per latorneria

Countersunk preassembled nylon plug for tinsmith work



Vite TPS inox A2 ramata Impronta Pozidrive, tassello grigio Rondella Ø15 in rame con guarnizione


Copper plated stainless steel A2 screw
Pozidrive recess, grey plug
Copper washer Ø15 with gasket

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.
62220006040	6x40	4x42	200

TPZ

Tassello premontato in zama

Preassembled zamak drive fixing



Chiodo acciaio Zincato bianco



Steel nail
White zinc plated

Cod.	Tassello Plug Ø x L	Conf. Pkg.	Imballo Outerbox
77700006030	6x30	200	1200
77700006040	6x40	100	800
77700006050	6x50	100	800
77700006065	6x65	100	600

TBS

Tassello in nylon per battiscopa

Nylon plug for skirting boards





Bordo svasato Vite TPS a chiodo bronzato Impronta Pozidrive

Countersunk rim
Bronze nail screw, Pozidrive recess

Cod.	Tassello Plug Ø x L	Conf. Pkg.	Imballo Outerbox
60307104030	4x30	200	2000

TU

Tassello in nylon Nylon plug



Con bordo

Rimmed plug

Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	Imballo Outerbox
60001004020 ⁽¹⁾	4x20	300	9600	1000	20000	30000
60001005025	5x25	100	3200	1000	20000	15000
60001006030	6x30	100	3200	1000	10000	10000
60001007035 ⁽¹⁾	7x35	150	2400			7000
60001008040	8x40	100	1600	1000	5000	4000
60001010050	10x50	50	800	500	2500	2000
60001010060	10x60	25	400			1800
60001012060 ⁽¹⁾	12x60	25	400	250	1500	1200
60001014080 ⁽¹⁾	14x80	20	160			600
60001016080 ⁽¹⁾	16x80	15	120			500

⁽¹⁾ Geometria versione precedente / Previous version geometry



Senza bordo

Rimless plug

Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	Imballo Outerbox
60101004020 ⁽¹⁾	4x20	300	9600	1000	20000	30000
60101005025	5x25	100	3200	1000	20000	15000
60101006030	6x30	100	3200	1000	10000	10000
60101007035 ⁽¹⁾	7x35	150	2400			7000
60101008040	8x40	100	1600	1000	5000	4000
60101010050	10x50	50	800	500	2500	2000
60101010060	10x60	25	400			1800
60101012060 ⁽¹⁾	12x60	25	400	250	1500	1200
60101014080 ⁽¹⁾	14x80	20	160			600
60101016080 ⁽¹⁾	16x80	15	120			500

⁽¹⁾ Geometria versione precedente / Previous version geometry




FIX PACK p. 366

**CONSIGLI
PER GLI
ACQUISTI**

**WE ALSO
RECOMMEND**



VBUX p. 262






VBV p. 260

TU

Tassello in polipropilene

Polypropylene plug



Con bordo

Rimmed plug

Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk	
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	Imballo Outerbox	
6000004020 ⁽¹⁾	4x20	300	9600	1000	20000	▲	30000
6000005025	5x25	100	3200	1000	20000		15000
6000006030	6x30	100	3200	1000	10000		10000
6000007035 ⁽¹⁾	7x35	150	2400			▲	7000
6000008040	8x40	100	1600	1000	5000		4000
60000010050	10x50	50	800	500	2500		2000
60000010060	10x60	25	400				1800
60000012060 ⁽¹⁾	12x60	25	400				1200
60000014080 ⁽¹⁾	14x80	20	160				600
60000016080 ⁽¹⁾ ▲	16x80	15	120				500

⁽¹⁾ Geometria versione precedente / Previous version geometry



Senza bordo

Rimless plug

Cod.	Tassello Plug Ø x L	In scatola / Per box		In busta / Per bag		Industriale / Bulk	
		Conf. Pkg.	Imballo Outerbox	Conf. Pkg.	Imballo Outerbox	Imballo Outerbox	
60100004020 ⁽¹⁾	4x20	300	9600			▲	30000
60100005025	5x25	100	3200				15000
60100006030	6x30	100	3200	1000	10000		10000
60100007035 ⁽¹⁾	7x35	150	2400			▲	7000
60100008040	8x40	100	1600	1000	5000		4000
601000010050	10x50	50	800	500	2500		2000
601000010060	10x60	25	400				1800
601000012060 ⁽¹⁾	12x60	25	400				1200
601000014080 ⁽¹⁾	14x80	20	160				600

⁽¹⁾ Geometria versione precedente / Previous version geometry



**YOUR
FIXING
EXPERT**



TUVT

Tassello in nylon con vite TPS truciolare


Nylon plug with chipboard screw



Con bordo Vite zincata bianca Impronta Pozidrive

Rimmed plug
White zinc plated screw
Pozidrive recess

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60027b05025	5x25	4x30	100	1000
60027b06030	6x30	4,5x40	100	1000
60027b08040	8x40	5x50	100	1000
60027b10050	10x50	6x60	50	500



Senza bordo Vite zincata bianca Impronta Pozidrive

Rimless plug
White zinc plated screw
Pozidrive recess





Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60024b05025	5x25	4x30	100	1000
60024b06030	6x30	4,5x40	100	1000
60024b08040	8x40	5x50	100	1000
60024b10050	10x50	6x60	50	500



TUV

Tassello in nylon con vite TCS

Nylon plug with rounded countersunk head screw



Con bordo Vite nichelata

Rimmed plug
Nickel plated screw

Combi Cod.	Pozidrive Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60002g05025		5x25	3,5x35	100	1000
60002g06030	60018g06030	6x30	4x35	100	1000
60002g08040	60018g08040	8x40	4,5x45	100	1000
60002g10050		10x50	6x60	50	500



Senza bordo Vite nichelata



Rimless plug
Nickel plated screw

Combi Cod.	Pozidrive Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
60021g05025		5x25	3,5x35	100	1000
60021g06030	60023g06030	6x30	4x35	100	1000
60021g08040	60023g08040	8x40	4,5x45	100	1000
60021g10050		10x50	6x60	50	500

TUVR

Tassello in nylon con vite TE e rondella

Nylon plug with hex head screw and washer



Senza bordo Vite e rondella zincata bianca




Rimless plug
White zinc plated screw and washer

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
60114b08040	8x40	6x50	6,4x12	50	500
60114b10050	10x50	7x60	7,4x14	50	500
60114b12060	12x60	8x80	8,4x17	50	500
60114b14080	14x80	10x100	10,5x21	25	250
60114b16080	16x80	12x100	13x24	20	200

TUG

Tassello in nylon con rampino ottonato per quadri

Nylon plug with brass plated corner screw for hanging frames





Senza bordo

Rimless plug

Cod.	Tassello Plug Ø x L	Gancio Ø x sviluppo Hook	Conf. Pkg.	Imballo Outerbox
60025h17040	4x20	2,5x40	10	40

TAM

Tassello metallico con accessori
Metallic anchor with accessories



Vite TGS
Zincato bianco

Rounded countersunk head screw
White zinc plated

Cod.	Tassello Plug Ø x L	Vite Screw	Conf. Pkg.	Imballo Outerbox
75400b08040	8x40	M4	100	1200
75400b09040	9x40	M5	100	600



Doppia vite
Zincato bianco

Double threaded screw
White zinc plated

Cod.	Tassello Plug Ø x L	Sporgenza vite Screw protrusion	Conf. Pkg.	Imballo Outerbox
75503b09040	9x40	M5x20	100	800
75505b09040	9x40	M5x40	100	300



Gancio corto
Zincato bianco

Short hook, white zinc plated

Cod.	Tassello Plug Ø x L	Gancio corto Short hook	Conf. Pkg.	Imballo Outerbox
75600b08040	8x40	M4	100	800
75600b09040	9x40	M5	100	600



Gancio medio
Zincato bianco

Medium hook, white zinc plated

Cod.	Tassello Plug Ø x L	Gancio medio Medium hook	Conf. Pkg.	Imballo Outerbox
75601b08040	8x40	M4	100	600
75601b09040	9x40	M5	100	400



Gancio lungo
Zincato bianco

Long hook, white zinc plated

Cod.	Tassello Plug Ø x L	Gancio lungo Long hook	Conf. Pkg.	Imballo Outerbox
75602b09040	9x40	M5	100	400



Occhiolo aperto
Zincato bianco

Cup hook, white zinc plated

Cod.	Tassello Plug Ø x L	Occhiolo aperto Cup hook	Conf. Pkg.	Imballo Outerbox
75800b08040	8x40	M4	100	600
75800b09040	9x40	M5	100	400



Occhiolo chiuso
Zincato bianco




Eye, white zinc plated

Cod.	Tassello Plug Ø x L	Occhiolo chiuso Eye	Conf. Pkg.	Imballo Outerbox
75700b08040	8x40	M4	100	600
75700b09040	9x40	M5	100	600

TA

Tassello in nylon con accessori

Nylon plug with accessories



Occhiolo aperto zincato bianco
Rondella metallica

Cup hook, white zinc plated
Metal washer

Cod.	Tassello Plug Ø x L	Occhiolo aperto Cup hook	Conf. Pkg.	Imballo Outerbox
60701b09040	9x40	M4	100	800
60701b12046	12x46	M5	100	600



Occhiolo chiuso zincato bianco
Rondella metallica

Eye, white zinc plated
Metal washer

Cod.	Tassello Plug Ø x L	Occhiolo chiuso Eye	Conf. Pkg.	Imballo Outerbox
60801b09040	9x40	M4	100	800
60801b12046	12x46	M5	100	600



Gancio corto zincato bianco
Rondella metallica

Short hook, white zinc plated
Metal washer

Cod.	Tassello Plug Ø x L	Gancio corto Short hook	Conf. Pkg.	Imballo Outerbox
60903b09040	9x40	M4	100	1200
60903b12046	12x46	M5	100	800



Gancio medio zincato bianco
Rondella metallica

Medium hook, white zinc plated
Metal washer

Cod.	Tassello Plug Ø x L	Gancio medio Medium hook	Conf. Pkg.	Imballo Outerbox
60904b09040	9x40	M4	100	1200
60904b12046	12x46	M5	100	600



Gancio lungo zincato bianco
Rondella metallica

Long hook, white zinc plated
Metal washer

Cod.	Tassello Plug Ø x L	Gancio lungo Long hook	Conf. Pkg.	Imballo Outerbox
60905b09040	9x40	M4	100	1200
60905b12046	12x46	M5	100	600



Doppia vite zincata bianca
Rondella metallica

Double threaded screw, white zinc plated
metal washer

Cod.	Tassello Plug Ø x L	Sporgenza vite Screw protrusion	Conf. Pkg.	Imballo Outerbox
61008b09040	9x40	M4x40	100	600
61011b12046	12x46	M5x40	100	600



Vite TGS zincata bianca
Rondella metallica

Rounded countersunk head screw
White zinc plated, metal washer

Cod.	Tassello Plug Ø x L	Vite Screw	Conf. Pkg.	Imballo Outerbox
61103b09040	9x40	M4	100	1200
61103b12046	12x46	M5	100	800


Gancio stretto zincato bianco

Narrow hook, white zinc plated

Cod.	Tassello Plug Ø x L	Spessore gancio Hook thickness	Conf. Pkg.	Imballo Outerbox
61200b09040	9x40	10/10	100	1200


Fermaporta

Doorstopper

Cod.	Tassello Plug Ø x L	Colore Colour	Fermaporta Doorstopper Ø	Conf. Pkg.	Imballo Outerbox
61302m09040	9x40	Bianco / White	20	50	600
61304p09040	9x40	Nero / Black	20	50	600


Fermaporta

Doorstopper

Cod.	Tassello Plug Ø x L	Colore Colour	Fermaporta Doorstopper Ø	Conf. Pkg.	Imballo Outerbox
61301m09040	9x40	Bianco / White	30	50	400
61301p09040	9x40	Nero / Black	30	50	400

TAL

Tassello prolungato in nylon con accessori

Long nylon plug with accessories


Occhio chiuso zincato bianco
Rondella metallica

 Eye, white zinc plated
 Metal washer

Cod.	Tassello Plug Ø x L	Occhio chiuso Eye	Conf. Pkg.	Imballo Outerbox
60802b09049	9x49	M4	100	800
60802b12057	12x57	M5	100	600


Gancio corto zincato bianco
Rondella metallica

 Short hook, white zinc plated
 Metal washer

Cod.	Tassello Plug Ø x L	Gancio corto Short hook	Conf. Pkg.	Imballo Outerbox
60906b09049	9x49	M4	100	1200
60906b12057	12x57	M5	100	600


Gancio medio zincato bianco
Rondella metallica

 Medium hook, white zinc plated
 Metal washer

Cod.	Tassello Plug Ø x L	Gancio medio Medium hook	Conf. Pkg.	Imballo Outerbox
60907b09049	9x49	M4	100	800
60907b12057	12x57	M5	100	600


Vite TGS zincata bianca
Rondella metallica




 Rounded countersunk head screw
 White zinc plated, metal washer

Cod.	Tassello Plug Ø x L	Vite Screw	Conf. Pkg.	Imballo Outerbox
61104b09049	9x49	M4	100	800
61104b12057	12x57	M5	100	600

TPV

Tassello in nylon per pareti vuote con accessori

Nylon plug for cavity fixings with accessories



Accessori zincati bianchi


White zinc plated accessories

Cod.	Tassello Plug Ø x L	Accessorio Accessory	Conf. Pkg.	Imballo Outerbox
62400b08040	8x40	A	100	1000
62401b08040	8x40	B	100	1000
62402b08040	8x40	C	100	1000
62403b08040	8x40	D	100	1000
62404b08040	8x40	E	100	1000

TML

Tassello in nylon per cemento cellulare





Nylon plug for aerated concrete



Cod.	Lunghezza tassello Plug length	Esagono interno Hexagon	Foro Hole Ø	Per vite a legno For wood screw	Per vite metrica For metric screw	Conf. Pkg.	Imballo Outerbox
62601006050	50	6	10	5,5 - 6	M6	25	250
62601008060	60	8	12	7 - 8	M8	25	250
62601010070	70	10	14	9 - 10	M10	25	250

AM


Ancora metallica a basculante Metal gravity anchor



Barra filettata Zincata bianca

Threaded bar
White zinc plated

Cod.	Foro Hole Ø	Barra filettata Threaded bar	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
76115b06095	18	M6x95	30	50	300
76115b08100	20	M8x100	30	20	160



Occhiolo aperto Zincata bianca

Cup hook
White zinc plated

Cod.	Foro Hole Ø	Occhiolo aperto Cup hook	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
76215b06075	18	M6x75	30	50	200
76215b08100	20	M8x100	30	20	160



BF p. 274-275

**CONSIGLI
PER GLI
ACQUISTI**

**WE ALSO
RECOMMEND**






DE LONG p. 321

FRÜLSIDER 135
2022


AM

Ancora metallica a scatto

Metal spring toggle



Minimo foro richiesto
Minimum hole required




Vite TGS

Zincata bianca

Rounded countersunk head screw
White zinc plated

Cod.	Foro Hole Ø	Vite Screw Ø x L	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
76010b04075	12	M4x75	20	100	600
76010b04100	12	M4x100	20	100	600
76010b04120	12	M4x120	20	100	600
76010b05050	14	M5x50	24	100	600
76010b05080	14	M5x80	24	100	600
76010b05100	14	M5x100	24	100	600
76010b05120	14	M5x120	24	100	400




Barra filettata

Zincata bianca

Threaded bar
White zinc plated

Cod.	Foro Hole Ø	Barra filettata Threaded bar	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
76110b04080	12	M4x80	20	100	600
76110b05050	14	M5x50	24	100	600
76110b05100	14	M5x100	24	100	400
76110b06095	18	M6x95	25	50	300




Occhiolo aperto

Zincata bianca

Cup hook
White zinc plated

Cod.	Foro Hole Ø	Occhiolo aperto Cup hook	Rondella Washer Ø	Conf. Pkg.	Imballo Outerbox
76210b04070	12	M4x70	20	100	600
76210b05070	14	M5x70	24	100	600
76210b06075	18	M6x75	25	50	300



Occhiolo chiuso

Zincata bianca

Eye
White zinc plated

Cod.	Hole Trou Ø	Occhiolo chiuso Eye	Washer Rondelle Ø	Conf. Pkg.	Imballo Outerbox
76310b04070	12	M4x70	20	100	600
76310b05070	14	M5x70	24	100	600



TW

Occhiolo per controsoffitti
Anchor for suspended ceiling






Zincato bianco

White zinc plated

Cod.	Tassello Plug Ø x L	Occhiolo interno Int. eye Ø	Conf. Pkg.	Imballo Outerbox
71000b06060	6x60	6	100	1600

TDE

Tassello in nylon a doppia espansione
Double expansion nylon plug



Vite TE zincata bianca
Cono in ottone

Hex head screw white zinc plated
Brass cone

Solo tassello Plug only Cod.	Con vite With screw Cod.	Tassello Plug Ø x L	Vite TE Hex head screw Ø x L	Conf. Pkg.	Imballo ⁽¹⁾ Outerbox ⁽¹⁾
63200012070	63100b12070	12x70	M8x80	100	600
63200014075	63100b14075	14x75	M10x80	50	300



⁽¹⁾ Previsto solo per codici 63100 / Only for codes 63100

**YOUR
FIXING
EXPERT**

MDE

Reggimensola esagonale a scomparsa

Hexagonal invisible wall-bracket



Stampaggio a freddo
Cold forging process



Tassello in nylon
Cono in ottone
Barra zincata bianca

Nylon plug
Brass cone
White zinc plated bar

Cod.	Tipo Type	Tassello Plug Ø x l	L barra esagonale L hexagonal bar	Chiave Wrench	Conf. Pkg.
62800b00080	MDE 10/80	12x70	80	8	25
62800b00100	MDE 10/100	12x70	100	8	25
62800b00120	MDE 10/120	12x70	120	8	25
62800b00150	MDE 10/150	12x70	150	8	25
62802b00080	MDE 12/80	12x70	80	10	25
62802b00120	MDE 12/120	12x70	120	10	25
62801b00120	MDE 14/120	14x75	120	12	25
62801b00145	MDE 14/145	14x75	145	12	25
62801b00170	MDE 14/170	14x75	170	12	25



BLISTER MDE



In linea con il design Euroblister
Perfetto per essere inserito nelle
esposizioni realizzate con Euroblister


In line with the Euroblister packaging
Perfect to be inserted into Euroblister product
display stands

Cod.	Tipo Type	Pz/blister Pcs/blister	Blister/ Imballo Blister/ Pkg.
62800b00080f2	MDE 10/80	2	15
62800b00100f2	MDE 10/100	2	15
62800b00120f2	MDE 10/120	2	15
62800b00150f2	MDE 10/150	2	15
62802b00080f2	MDE 12/80	2	15
62802b00120f2	MDE 12/120	2	15
62801b00120f2	MDE 14/120	2	15
62801b00145f2	MDE 14/145	2	15
62801b00170f2	MDE 14/170	2	15



TAN

Tassello autopercorante in nylon per cartongesso
Selfdrilling nylon plug for plasterboard



Utilizzo anche su cartongesso a doppia-lastra

Also suitable for double plasterboard panels






Tassello in nylon

Nylon plug

Cod.	Tassello Plug Ø x L	Per viti For screw Ø	Conf. Pkg.	Imballo Outerbox
65505015035	15x35	3 - 4,5	100	1000

TRZ

Tassello autopercorante in zama per cartongesso
Selfdrilling zamak plug for plasterboard



Vite TCB

Zincata bianca

Impronta Pozidrive n°2

Reazione al fuoco: classe A1

Round cylindrical head screw

White zinc plated


Pozidrive n°2 recess

Reaction to fire: class A1

Cod.	Tassello Plug Ø x L	Vite Screw Ø x L	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
75006013030	13x30	4x35	10	100	2000



S31 p. 73



VBU p. 260

**CONSIGLI
PER GLI
ACQUISTI**

**WE ALSO
RECOMMEND**





AF-STEEL TC p. 218

FRÜLSIDER 139
2022

TMC

Tassello metallico per cartongesso
 Metal anchor for plasterboard



Zincato bianco
 White zinc plated



Cod.	Foro Hole Ø	Lunghezza tassello Plug length Ø x L	Vite Screw Ø x L	Sp. min parete Wall thickness min-max	Conf. Pkg.	Imballo Outerbox
75001004038	8	8x33	M4x41	4-9	100	2000
75001004045	8	8x39	M4x47	9-16	100	2000
75001005045	10	10x37	M5x43	5-13	50	1000
75001005058	10	10x53	M5x60	5-18	50	1000
75001005071	10	10x65	M5x74	18-32	50	1000
75001006045	12	12x37	M6x45	5-12	50	1000
75001006058	12	12x53	M6x60	5-18	50	1000
75001006071	12	12x66	M6x74	18-32	50	1000



Pinza per tasselli TMC
 TMC setting tool

Cod.	Conf. Pkg.
49901000001	1



VM

Vite autofilettante per profili metallici
Selftapping screw for metal profiles



Per l'assemblaggio dei profili metallici
Zincata bianca, impronta Philips
Capacità di foratura: 0,6 + 0,6 mm

Metal profile assembling screw
White zinc plated, Philips recess
Drill capacity: 0,6 + 0,6 mm

Cod.	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
19415b42013	4,2x13	500	8000
19415b42016	4,2x16	500	8000
19415b42019	4,2x19	500	8000
19415b42025	4,2x25	500	6000

VM

Vite autopercorante per profili metallici
Selfdrilling screw for metal profiles



Per l'assemblaggio dei profili metallici
Zincata bianca, impronta Philips
Capacità di foratura:
Per Ø4,2 1,5 + 1,5 mm
Per Ø4,8 2,0 + 2,0 mm

Metal profile assembling screw
White zinc plated, Philips recess
Drill capacity:
For Ø4,2 1,5 + 1,5 mm
For Ø4,8 2,0 + 2,0 mm

Cod.	Vite Screw Ø x L	Conf. Pkg.	Imballo Outerbox
29660b42009	4,2x9,5	1000	12000
29660b42013	4,2x13	500	8000
29660b42016	4,2x16	500	8000
29660b42019	4,2x19	500	6000
29660b42022	4,2x22	500	6000
29660b42025	4,2x25	500	6000
29660b42032	4,2x32	500	4000
29660b48013	4,8x13	500	6000
29660b48016	4,8x16	500	6000
29660b48019	4,8x19	500	6000
29660b48022	4,8x22	500	6000
29660b48025	4,8x25	500	4000
29660b48032	4,8x32	500	4000
29660b48035	4,8x35	200	2400
29660b48038	4,8x38	200	2400
29660b48040	4,8x40	200	2400
29660b48045	4,8x45	200	2400
29660b48050	4,8x50	200	2400
29660b48060	4,8x60	100	1200
29660b48070	4,8x70/60	100	1200
29660b48080	4,8x80/60	100	1200